

RACK EQUIPMENT STANDS & RACK ACCESSORIES



Rack Equipment Stands

MODULAR RACK EQUIPMENT STAND SYSTEM

- Quik-Lok's rack equipment system is a unique design that is completely expandable
- Each unit adds 10 rack spaces to the system allowing stackable vertical expansion up to 30 rack spaces
- Solid heavy gauge steel and arc-welded construction
- Securely holds gear up to 18" deep (45.7 cm)
- Open back allows for easy access to cables and connections
- Perfect for recording, broadcast and multimedia applications
- Convenient hand rails and casters allow for easy mobility
- Supplied with rack hardware



RS/656

- Vertical Add-on 10-Space Unit
- Supplied with rack hardware

RS/656 AM

Uses American 10/32 hardware

RS/656 EU

Uses European 6 mm hardware

Height:	18.5" - 47 cm
Width:	21.8" - 55.5 cm
Depth:	17.7" - 45 cm
Weight capacity:	150 lb - 67.5 kg
Weight:	15.5 lb - 7 kg
Color:	Black



RS/655

- 10-Space Base Unit with casters
- Supplied with rack hardware

RS/655 AM

Uses American 10/32 hardware

RS/655 EU

Uses European 6 mm hardware

Height:	24.4" - 62 cm
Width:	21.8" - 55.5 cm
Depth:	17.7" - 45 cm
Weight capacity:	150 lb - 67.5 kg
Weight:	16 lb - 7.2 kg
Color:	Black



RS/10

- 10-Space Table Top Rack Stand for studios or store displays
- Supplied with rack hardware

RS/10 AM

Uses American 10/32 hardware

RS/10 EU

Uses European 6 mm hardware


Height:	21" - 53.5 cm
Width:	20.8" - 52.8 cm
Leg depth:	15" - 38 cm
Frame size:	20 x 20 mm
Weight capacity:	150 lb - 67.9 kg
Weight:	5.3 lb - 2.4 kg
Color:	Black



Rack Equipment Stands

QUIK LOK'S LINE OF SUPERIOR QUALITY RACK ACCESSORIES

- Electrostatic black powder-coat finish
- Manufactured using heavy gauge steel
- All rack panels and shelves are rigidly constructed with flanged edges for added strength
- All shelves are supplied with rack hardware



RS/660

- 1-Space Rack Shelf

Surface Height:	1 rack space (1.75" - 4.45 cm)
Surface Width:	17.3" - 44 cm
Surface Depth:	10" - 25.5 cm
Weight capacity:	30 lb - 13.6 kg
Weight:	3.1 lb - 1.4 kg
Color:	Black



RS/673

- 1-Space Universal Rack Shelf
- Designed to securely mount non-rackable equipment through multiple bolt holes located on the shelf

Surface Height:	1 rack space (1.75" - 4.45 cm)
Surface Width:	17.3" - 44 cm
Surface Depth:	9.4" - 24 cm
Weight Capacity:	30 lb - 13.6 kg
Weight:	3.1 lb - 1.4 kg
Color:	Black



RS/668

- 1-Space rack shelf

Surface height:	1 rack space (1.75" - 4.45 cm)
Surface width:	17.3" - 44 cm
Surface depth:	9 rack spaces (16.9" - 43 cm)
Weight capacity:	30 lb - 13.6 kg
Weight:	6 lb - 2.7 kg
Color:	Black

RS/669

- 2-Space rack shelf
- Same specifications as RS/668 shelf, with increased rack space

Surface height:	2 rack space (3.5" - 8.9 cm)
Surface width:	17.3" - 44 cm
Surface depth:	9 rack spaces (16.9" - 43 cm)
Weight capacity:	30 lb - 13.6 kg
Weight:	6.9 lb - 3.1 kg
Color:	Black



RS/670

- 2-Space Rack Drawer

Drawer inside Height:	2.8" - 7.3 cm
Drawer inside Width:	15.3" - 39 cm
Drawer inside Depth:	14.5" - 37 cm
Weight capacity:	40 lb - 18.1 kg
Weight:	16.4 lb - 7.4 kg
Color:	Black



RS/671

- 3-Space Rack Drawer

Drawer inside Height:	4.7" - 12 cm
Drawer inside Width:	15.3" - 39 cm
Drawer inside Depth:	14.5" - 37 cm
Weight capacity:	40 lb - 18.1kg
Weight:	18.8 lb - 8.5 kg
Color:	Black



Rack Equipment Stands



RS/247

- Fixing Screw for Rack Stands

RS/247 AM

10/32 Allen head rack screw, for use with RS/248 AM and on any standard American Rack Rail

RS/247 EU

M6x15 Allen type fixing screw, for use with RS/248 EU on any standard European Rack Rail



RS/248

- Captive Nut for Rack Stands

RS/248 AM

10/32 permaplated captive nut for all rack stands using american 10/32 hardware. For use with RS/247 AM screws.

RS/248 EU

M6 zinc plated Steel captive nut for Rack Stands using European hardware. For use with RS/247 EU screws.



RS/249

- Plastic cup washer for use with rack screws RS/247 AM and RS/247 EU



RS/245

- 1-Space blank panel with flanged edges

Height:

1 rack space
(1.75" - 4.45 cm)

Color:

Black



RS/242

- 2-Space blank panel with flanged edges

Height:

2 rack space
(3.5" - 8.9 cm)

Color:

Black

RS/246

- 3-Space blank panel with flanged edges

Height: 3 rack space
(5.25" - 13.35 cm)
Color: Black



RS/276

- 5-Space blank panel with flanged edges

Height: 5 rack space
(8.6" - 22 cm)
Color: Black



RS/278

- 3-Space rack ventilation panel for 3 fans with flanged edges

Height: 3 rack space
(5.25" - 13.35 cm)
Color: Black



RS/281

- 1-Space rack panel with flanged edges with 8 mounting holes for D 6,3 mm Plugs

Height: 1 rack space
(1.75" - 4.45 cm)
Holes diameter: 0.45" - 11.5 mm
Color: Black



RS/289

- 1-Space rack panel with flanged edges with 4 mounting holes for Neutrik XLR

Height: 1 rack space
(1.75" - 4.45 cm)
Holes diameter: 0.94" - 24 mm
Color: Black



Rack Equipment Stands



RS/292

- 1-Space rack panel with flanged edges with 8 mounting holes for Neutrik XLR

Height:

1 rack space
(1.75" - 4.45 cm)

Holes diameter:

0.94" - 24 mm

Color:

Black



RS/290

- 1-Space rack panel with flanged edges with 6 mounting holes for Neutrik XLR

Height:

1 rack space
(1.75" - 4.45 cm)

Holes diameter:

0.94" - 24 mm

Color:

Black



RS/243

- 1-Space rack panel with flanged edges with 12 mounting holes for Neutrik XLR

Height:


1 rack space
(1.75" - 4.45 cm)

Holes diameter:

0.94" - 24 mm

Color:

Black



RS/297

- 3-Space rack panel with flanged edges with 48 mounting holes for Neutrik XLR

Height:

3 rack spaces
(5.25" - 13.35 cm)

Holes diameter:

0.94" - 24 mm

Color:

Black